

FLOORS




LVT VINYL STAFF



VCT VINYL TILE

LVT VINYL STAFF

Dream wood / High wood




Description	Duela Dream Wood	Duela High Wood
Size	30.48 x 91.44 cm (12" x 36")	
Thickness	3.0 mm	
Weight	5.09 Kg / m2 14.20 kg / box	
Packing	10 pieces 2.79 m2 / box	
Wear layer	0.30 mm	0.50 mm
Adhesive	Contact	
Durability	5 - 10 - 15 Years According to protective layer, thickness and use	

- The material must be placed on a flat, uniform and level surface, without irregularities, free of dust, grease and dirt. The maximum humidity of the installation surface is 3%.
- The thickness and protective layer depends on the needs of the client.
- Stave with engraving.
- Designed for heavy traffic such as gyms, cinemas, offices, stores, etc.
- It should not be polished.
- No solvent should be applied.



LVT VINYL STAFF

Exotic wood



Easy
Installation



Resistant



Light
Weight



Maintenance
easy

★ means in stock

Description	Duela Exotic Wood
Size	15.24 x 91.44 cm (6"x36")
Thickness	2.0 mm
Weight	3.41 kg/m ² 11.40 kg x box
Packing	24 Pieces 3.34 m ² x box
Wear layer	0.20 mm
Adhesive	Contact
Durability	5 - 10 - 15 Years According to protective layer, thickness and use

- The material must be placed on a flat, uniform and level surface, without irregularities, free of dust, grease and dirt. The maximum humidity of the installation surface is 3%.
- The thickness and protective layer depends on the needs of the client.
- Stave with engraving.
- Designed for heavy traffic such as gyms, cinemas, offices, stores, etc.
- It should not be polished.
- No solvent should be applied.



06GP




09GP



11GP



29GP




33GP



38GP

LVT VINYL STAFF

Style wood



Easy
Installation



Resistant



Light
Weight



Maintenance
easy

Description	Duela Style Wood
Size	15.24 x 91.44 cm (6"x36")
Thickness	1.4 mm
Weight	2.55 kg/m ² 14.20 kg x box
Packing	40 Pieces 5.57 m ² x box
Wear layer	0.15 mm
Adhesive	Contact
Durability	5 - 10 - 15 Years According to protective layer, thickness and use

- The material must be placed on a flat, uniform and level surface, without irregularities, free of dust, grease and dirt. The maximum humidity of the installation surface is 3%.
- The thickness and protective layer depends on the needs of the client.
- Stave with engraving.
- Designed for heavy traffic such as gyms, cinemas, offices, stores, etc.
- It should not be polished.
- No solvent should be applied.



02GP



08GP



15GP




31GP



27GP

LVT VINYL STAFF

Imported wood



Easy
Installation



Resistant



Light
Weight



Maintenance
easy

Description	Duela Imported Wood		
Size	22.86 cm x 121.92 cm (9" x 48")	22.86 cm x 121.92 cm (9" x 48")	30.48 cm x 60.96 cm (12" x 24")
Thickness	1.5 mm	3.0 mm	3.0 mm
Weight	2.89 kg/m2 14.5 kg x box	5.73 kg/m2 16 kg x box	5.38 kg/m2 10 kg x box
Packing	18 Pieces 5.02 m2 x box	10 Pieces 2.79 m2 x box	10 Pieces 1.86 m2 x box
Wear layer	0.12 mm	0.30 mm	0.30 mm
Adhesive	Contact	Contact	Contact
Durability	5 - 10 - 15 Years According to protective layer, thickness and use	5 - 10 - 15 Years According to protective layer, thickness and use	15 Years According to protective layer, thickness and use

- The material must be placed on a flat, uniform and level surface, without irregularities, free of dust, grease and dirt. The maximum humidity of the installation surface is 3%.
- The thickness and protective layer depends on the needs of the client.
- Stave with engraving.
- Designed for heavy traffic such as gyms, cinemas, offices, stores, etc.
- It should not be polished.
- No solvent should be applied.



IMP-31




IMP-32



IMP-34



IMP-33



IMP-35




IMP-36



IMP-37

VCT VINYL TILE



Easy
Installation



Resistant



Light
Weight



Maintenance
easy

Description	Vinyl Tile				
Size	30.48 cm x 30.48 cm (12"x12")			45.72 cm x 45.72 cm (18"x18")	
Thickness	1.3 mm	1.6 mm	3.1 mm	1.6 mm	3.1 mm
Weight	2.72 kg/m ² 27.2 kg x box	3.20 kg/m ² 13.37 kg x box	6.76 kg/m ² 28.23 kg x box	3.20 kg/m ² 13.37 kg x box	6.76 kg/m ² 28.25 kg x box
Packing	108 Pieces 10.03 m ² x box	3.20 kg/m ² 13.37 kg x box	6.76 kg/m ² 28.23 kg x box	20 Pieces 4.18 m ² x box	20 Pieces 4.18 m ² x box
Adhesive	Latex				
Model	Alabastro Erernolux Vis Madeiras Mármol Parquet Tradicional	Century Eternolux Onyx Royal Sahara Sólida	Century Eternolux Onyx Royal Royal Colors Royal Plus Sahara Sólida	Carrara	

Maintenance:


- All you need is water, soap or some liquid floor cleaner.
- It can also be polished, resulting in a new floor appearance.
- It can be installed with special latex glue for tile, also with contact glue *depending on the humidity of the surface is how the appropriate adhesive is chosen for installation, that is, if there is excess humidity, it is advisable to use latex glue.

Benefits:



- Easy installation. If any piece is damaged, it can be replaced without having to remove the entire floor.
- Slip-resistant and easy to maintain.
- Self-extinguishing.
- Thermal and acoustic insulation.
- Very lightweight materials that comply with new lightweight construction standards.

VCT VINYL TILE




ALABASTER



CARRARA




CENTURY




★ means in stock

VCT VINYL TILE

ETERNOLUX




210



215

MADEIRAS



160



161

MARMOL



500



502

ONYX



750



752



756

VCT VINYL TILE

PARQUET



170




171




172

ROYAL




873



874



880



881



888

SAHARA




712




713

SOLIDA



733




734

VCT VINYL TILE

ROYAL COLOR



890



891




892

★ means in stock


ROYAL PLUS



956



957



969



980



989



993

TRADICIONAL




015



301



310



312

VCT VINYL TILE



Protection layer
 Wear layer
 Decorative sheet
 Vinyl foundation layer



Easy Installation



Resistant



Light Weight



Maintenance easy

Description	Best Regal
Size	30.48 cm x 30.48 cm (12" x 12")
Thickness	3.1 mm
Weight	6.65 kg/m ² 27.8 kg
Packing	45 pieces 4.18 m ² / box
Adhesive	Latex

Maintenance:

- All you need is water, soap or some liquid floor cleaner.
- It can also be polished, resulting in a new floor appearance.
- It can be installed with special latex glue for tile, also with contact glue *depending on the humidity of the surface is how the appropriate adhesive is chosen for installation, that is, if there is excess humidity, it is advisable to use latex glue.

Benefits:

- Easy placement. If any part is damaged, it can be changed without having to lift the entire floor.
- Non-slip and easy maintenance.
- Self-extinguishing.
- Thermal and acoustic insulation.
- Very light materials that adapt to the new lightweight construction standards.



BEST-150602




BEST-150612




BEST-150679



BEST-150637



BEST-150644



BEST-150667


VCT VINYL TILE



BEST-150670



BEST-150689



BEST-150688



BEST-150627



BEST-150628



BEST-150629



BEST-150631




BEST-150633



BEST-150643



BEST-150641



BEST-150645




BEST-150613



BEST-150622



BEST-150623



BEST-150619

VINYL BASEBOARDS



Easy
Installation



Resistant



Light
Weight



Maintenance
easy

★ means in stock

CODE	PICTURE	DESCRIPCION	COLOR	SIZE	UNITS
ZCX-800201	 ★	Coextruded Vinyl Skirting Boards in roll 2.45 to 2.65 mm (0.096 to 0.104 in) Contact adhesive	Brown / Marrón Café	10.5 cm x 40 m (4.13 in x 131.23 feet)	1 roll / 1 rollo
ZCX-800202	 ★	Coextruded Vinyl Skirting Boards in roll 2.45 to 2.65 mm (0.096 to 0.104 in) Contact adhesive	Black / Negro	10.5 cm x 40 m (4.13 in x 131.23 feet)	1 roll / 1 rollo
ZCX-800203	 ★	Coextruded Vinyl Skirting Boards in roll 2.45 to 2.65 mm (0.096 to 0.104 in) Contact adhesive	Light Gray / Gris Claro	10.5 cm x 40 m (4.13 in x 131.23 feet)	1 roll / 1 rollo
ZCX-800210	 ★	Coextruded Vinyl Skirting Boards in roll 2.45 to 2.65 mm (0.096 to 0.104 in) Contact adhesive	Steel Gray / Gris Acero	10.5 cm x 40 m (4.13 in x 131.23 feet)	1 roll / 1 rollo
ZCX-800213	 ★	Coextruded Vinyl Skirting Boards in roll 2.45 to 2.65 mm (0.096 to 0.104 in) Contact adhesive	Walnut / Nuez	10.5 cm x 40 m (4.13 in x 131.23 feet)	1 roll / 1 rollo